

Backer Plate- Annual Rye

Variable Transmission

Cells Per Disc: 60 Cell Milo

Bulk Fill tank Settings: 8-10 (inches of water)

NOTE: "Reference Population" is used only to set rates and will not match the measured planter monitor population

Monitor will adjust meter RPM for row spacing					Monitor will adjust meter RPM for row spacing				
*Reference Population	Application Rate (lbs/acre)	*Reference Population	Application Rate (lbs/acre)		*Reference Population	Application Rate (lbs/acre)	*Reference Population	Application Rate (lbs/acre)	
128,250	24.7	99,000	19.0		69,750	13.4	40,500	7.8	
126,000	24.2	96,750	18.6		67,500	13.0	38,250	7.4	
123,750	23.8	94,500	18.2		65,250	12.5	36,000	6.9	
121,500	23.4	92,250	17.7		63,000	12.1	33,750	6.5	
119,250	22.9	90,000	17.3		60,750	11.7	31,500	6.1	
117,000	22.5	87,750	16.9		58,500	11.2	29,250	5.6	
114,750	22.1	85,500	16.4		56,250	10.8	27,000	5.2	
112,500	21.6	83,250	16.0		54,000	10.4	24,750	4.8	
110,250	21.2	81,000	15.6		51,750	9.9	22,500	4.3	
108,000	20.8	78,750	15.1		49,500	9.5	20,250	3.9	
105,750	20.3	76,500	14.7		47,250	9.1	18,000	3.5	
103,500	19.9	74,250	14.3		45,000	8.6	15,750	3.0	
101,250	19.5	72,000	13.8	A REAL PROPERTY OF	42,750	8.2	13,500	2.6	

Note: Seeding rates are approximations, environmental conditions can affect planting rates; Always field check populations.

